Electronics box ECON® and two-gang junction box ECON®











Two-gang junction box ECON®, air-tight

Air-tight design with sealing membranes

| Article no: | 1656-21 |
|---|---------------|
| EAN: | 4013456537439 |
| Length | 149 mm |
| Width | 80 mm |
| Depth | 68 mm |
| Screw spacing | 60 mm |
| Number of screw domes | 6 |
| Device screws | 4 |
| Cable entries up to Ø 11 mm | 4 |
| Duplex cable entries 2 x up to 11 mm | 4 |
| Conduit entries M25 | 4 |
| Tool-free cable and conduit entries in the connector area up to M25 | 4 |
| Halogen-free | Yes |
| Packaging inner/dispatch | 10/100 |

The electronics box and two-gang junction box using ECON® technology and a multi-membrane are ideal for installation in masonry walls in which the interior plaster forms the air-tight closure on the room side. The electronics box ECON® provides a generously-sized accessory installation space and additional space for fitting small switch actuators, etc. The matching separator wall allows the standardised installation of bus and operating voltage in one box. The two-gang junction box ECON® with a multi-membrane makes it easier than ever to install special accessories. The large installation opening and the very large installation compartment make it possible to install block and pre-wired accessories, and they create space for the assembly of cables for multi-media connections.

- · Elastic sealing membrane for guaranteed air-tightness
- · Variable and toolless insertion of single cables, duplex cables and DIN EN conduits
- Additional space for decentral installation of KNX / LON UP actuators, flush-mounted cut-off relays for Venetian blinds, and many more
- · Separator wall for standardised fitting of two voltage types in one box
- · Maintenance of cable bending radii for network connection boxes optimal data transfer
- · Easy installation of pre-wired accessories and multi-media connection boxes









